Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended)

A compound which is a 1-phenylpyrrolidin-2-one-3-carboxamide of

the formula I

where the variables R¹, R², R³, X, Y, A, n, R^a, R^b, R^c, R^d and R^e are as defined below:

R¹ is hydrogen, OH, CI, Br, C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-alkenyl, C₃-C₆-alkyl, C₃-alkyl, C₃-alkyl,

R² and R³ independently of one another are hydrogen, C₁-C₁₀-alkyl, C₃-C₀-cycloalkyl, C₇-C₁₀-polycycloalkyl, C₃-C₈-alkenyl, C₃-C₁₀-alkynyl, C₅-C₁₀-cycloalkenyl, C₃-C₈-cycloalkyl-C₁-C₄-alkyl, phenyl or 3- to 7-membered heterocyclyl, where the 9 last-mentioned groups may be unsubstituted, partially or fully halogenated and/or eontain substituted by 1, 2 or 3 radicals selected from the group consisting of OH, CN, NO₂, COOH, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkoxy, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-alkylthio, C₁-C₄-haloalkylthio, unsubstituted or substituted phenyl, COOR⁵, NR⁶R⁷, C(0)NR⁸SO2R¹³, C(0)NR⁸R⁹ and 3- to 7-membered heterocyclyl, and wherein each heterocyclyl may contain 1, 2 or 3 heteroatoms selected from the group consisting of oxygen, nitrogen, sulfur, a group

NR¹⁰ and a group SO₂, and, if

appropriate, 1, 2 or 3 carbonyl groups and/or thiocarbonyl groups as ring members; and/or may contain a ring-fused phenyl ring which is unsubstituted or substituted; or

R² and R³ ,together with the group N-(A)n to which they are attached, form a saturated 3- to 7-membered heterocycle which, in addition to the nitrogen atom, may contain 1, 2 or a further 3 heteroatoms selected from the group consisting of oxygen, nitrogen, sulfur and a group NR¹⁰ and, if appropriate, 1, 2 or 3 carbonyl groups and/or thiocarbonyl groups as ring members;

R^a, R^b, R^c, R^d and R^e independently of one another are hydrogen, OH, CN, NO₂, halogen, C₁-C₁₀-alkyl, C₃-C₆-cycloalkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-haloalkyl, C₂-C₆-haloalkenyl, C₁- C₆-alkoxy, C₁-C₄-haloalkoxy, C₁-C₆-alkylthio, C₁-C₄-haloalkylthio, C(0)R⁴, COOR⁵, NR⁶R⁷, C(0)NR⁸R⁹, S(0)₂NR⁸R⁹, S(0)₂R¹¹ or C₁-C₄-alkoxy-C₁-C₆-alkyl; or

two adjacent radicals R^a to R^e, together with the atoms to which they are attached, form a 5-, 6- or 7-membered saturated or unsaturated ring which may contain one or two heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur and a group NR¹⁰ as ring-forming atom and/or may carry one, two, three or four radicals selected from the group consisting of halogen and C₁-C₄-alkyl;

X, Y independently of one another are oxygen or sulfur;

n is 0 or 1;

A is 0, $S(0)_k$ or NR^{12} , where k is 0, 1 or 2;

R⁴, R⁸, R⁹ independently of one another are hydrogen or C₁-C₄-alkyl;

- R^5 , R^{11} are C_1 - C_4 -alkyl;
- R^6 , R^7 independently of one another are hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, $C(0)R^4$, $COOR^5$ or $S(0)_2R^{11}$;
- R^{10} , R^{12} independently of one another are hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkynyl; and
- R¹³ is phenyl which is unsubstituted or carries 1, 2, 3 or 4 substituents, where the substituents are selected from the group consisting of halogen, nitro, cyano, OH, alkyl, alkoxy, haloalkyl, haloalkoxy, COOR⁵, NR⁶R⁷ and C(0)NR⁸R⁹; or an agriculturally useful salt ef-l thereof.
- 2. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in claim 1 in which

R² and R³ independently of one another are hydrogen, C₁-C₁₀-alkyl, C₃-C₁₀-cycloalkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, C₅-C₁₀-cycloalkenyl, C₃-C₈-cycloalkyl-C₁-C₄-alkyl, phenyl or 3-to 7-membered heterocyclyl, where the 8 last-mentioned groups may be unsubstituted, partially or fully halogenated and/or centain substituted by 1, 2 or 3 radicals selected from the group consisting of OH, CN, NO₂, COOH, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkoxy, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-alkylthio, C₁-C₄-haloalkylthio, unsubstituted or substituted phenyl, COOR⁵, NR⁶R⁷, C(0)NR⁸R⁹, and wherein each heterocyclyl may contain 1, 2 or 3 heteroatoms selected from the group consisting of oxygen, nitrogen, sulfur and a group NR¹⁰ and, if appropriate, 1, 2 or 3 carbonyl groups and/or thiocarbonyl groups as ring members; or

R² and R³, together with the group N-(A)n to which they are attached, form a saturated 3-to 7-membered heterocycle which, in addition to the nitrogen atom, may contain 1, 2 or a further 3 heteroatoms selected from the group consisting of oxygen, nitrogen, sulfur and a group NR¹⁰ and, if appropriate, 1, 2 or 3 carbonyl groups and/or thiocarbonyl groups as ring members.

- 3. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in claim 1 or 2 wherein R¹ is hydrogen.
- 4. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein R³ is hydrogen or C₁-C₄-alkyl.
- 5. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein R^2 is C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -alkynyl, C_5 - C_6 -cycloalkenyl, substituted or unsubstituted phenyl, C_3 - C_6 -cycloalkyl- C_1 - C_4 -alkyl, where C_1 - C_6 -alkyl and C_3 - C_6 cycloalkyl may be partially or fully halogenated and/or may contain a at least one radical selected from the group consisting of C_1 - C_6 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_6 -alkylthio, C_1 - C_4 -haloalkylthio, unsubstituted or substituted phenyl, C_1 - C_4 -haloalkoxy, C_1 - C_6 -alkylthio, C_1 - C_4 -haloalkylthio, unsubstituted or substituted phenyl, C_1 - C_4 -haloalkylthio, C_1 - C_4 -haloalkylthio, unsubstituted or substituted phenyl, C_1 - C_4 -haloalkylthio, C_1 - C_4 -haloalk
- 6. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein X and Y represent oxygen.

- 7. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein n = 0.
- 8. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein the radicals R^a, R^b, R°, R^d and R^e are selected from the group consisting of hydrogen, halogen, CN, C₁-C₄-alkyl, OCH₃, CF₃, CHF₂, OCF₃ and OCHF₂.
- 9. (Currently Amended) A 1-phonylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 wherein not more than 3 of the radicals R^a, R^b, R^c, R^d and R^e are different from hydrogen.
- 10. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in any of the preceding claims claim 1 where in 2 or 3 of the radicals R^a , R^b , R^c , R^d and R^e are different from hydrogen.
- 11. (Currently Amended) A 1-phenylpyrrolidin-2-one-3-carboxamide compound as claimed in claim 9 or 10 wherein the radicals Ra and Re represent hydrogen.
- 12. (Currently Amended) A composition, comprising a herbicidally effective amount of at least one 1-phenylpyrrolidin-2-one-3-carboxamide of the formula I or an agriculturally useful salt of I compound as claimed in any of the preceding claims claim 1, and at least one inert liquid and/or solid carrier, and, if desired, at least one surfactant.

- 13. (Currently Amended) A method for controlling unwanted vegetation, which comprises allowing a herbicidally effective amount of at least one 1-phonylpyrrolidin-2-one-3-carboxamide of the formula I or an agriculturally useful salt of I compound as claimed in any of the preceding claims claim 1 to act on plants, their habitat or on seed.
- 14. (New) A method for controlling unwanted vegetation, comprising applying to plants, their habitat or to their seed a herbicidally effective amount of at least one compound of claim 1.
- 15. (New) The method of claim 14, wherein said compound is applied at an application rate of from 0.001 to 3.0 kg/ha.
- 16. (New) The method of claim 15, wherein the application rate of said compound is 0.01 to 1.0 kg/ha.
- 17. (New) A compound of claim 1, wherein n is 1 and A, is oxygen, a group N-R¹², where R^{12} = hydrogen or alkyl, or a group SO₂.
- 18. (New) A compound of claim 1, wherein R^a, R^b, R^c, R_d, R^e are independently hydrogen, halogen, CN, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy.
- 19. (New) A compound of claim 1, wherein R¹ is hydrogen, OH, C1, Br, C₁-C₆-alkyl or OC(O)R⁴.

20. (New) A compound of claim 1, wherein R^2 is C_1 - C_{10} -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -alkenyl, C_3 - C_8 -alkynyl, C_3 - C_8 -cycloalkyl, C_5 - C_8 -cycloalkenyl or C_3 - C_8 -cycloalkyl- C_1 - C_4 -alkyl, where C^1 - C_{10} -alkyl and C_3 - C_8 -cycloalkyl may be partially or fully halogenated and/or may carry one or two radicals selected from the group consisting of C_1 - C_6 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_6 -alkylthio, C_1 - C_4 -haloalkylthio, unsubstituted or substituted phenyl, $COOR^5$, NR^6R^7 , $C(0)NR^8R^9$, phenyl which may be unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of halogen, nitro, C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_1 - C_6 -alkoxy, C_1 - C_6 -alkoxy, C_1 - C_6 -alkylthio, unsubstited or substituted phenyl, $COOR^5$, NR^6R^7 and $C(0)NR^8R^9$.

21. (New) A compound of formula (Ia)

$$\mathbb{R}^{c}$$
 \mathbb{R}^{d}
 \mathbb{R}^{d}
 \mathbb{R}^{d}
 \mathbb{R}^{d}
 \mathbb{R}^{d}
 \mathbb{R}^{2}
 \mathbb{R}^{2}

wherein

 R^b , R^c , R^d independently of one another are hydrogen, OH, CN, NO₂, halogen, C_1 - C_{10} -alkyl, C_3 - C_6 -cycloalkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_1 - C_6 -haloalkyl, C_2 - C_6 -haloalkenyl, C_1 - C_6 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_6 -alkylthio, C_1 - C_4 -haloalkylthio, $C(0)R^4$, $COOR^5$, NR^6R^7 , $C(0)NR^8R^9$, $S(0)_2NR^8R^9$, $S(0)R^{11}$, $S(0)_2R^{11}$ or C_1 - C_4 -alkoxy- C_1 - C_6 -alkyl; and

 R^2 is hydrogen, C_1 - C_{10} -alkyl, C_3 - C_{10} -cycloalkyl, C_7 - C_{10} -polycycloalkyl, C_3 - C_8 -alkenyl, C_3 - C_{10} -alkynyl, C_5 - C_{10} -cycloalkenyl, C_3 - C_8 -cycloalkyl- C_1 - C_4 -alkyl, phenyl or 3- to

7-membered heterocyclyl, where the 9 last-mentioned groups may be unsubstituted, partially or fully halogenated and/or contain 1, 2 or 3 radicals selected from the group consisting of OH, CN NO₂, COOH, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkoxy, C₂-C₆-alkenyl, C₂-C₆ alkynyl, C₁-C₆-alkylthio, C₁-C₄ -haloalkylthio, unsubstituted or substituted phenyl, COOR⁵, NR⁶R⁷, C(O)NR⁸SO₂R¹³, C(O)NR⁸R⁹ and 3- to 7-membered heterocyclyl, wherein each hetercyclyl may contain 1, 2 or 3 heteroatoms selected from the group consisting of oxygen, nitrogen, sulfur, a group NR¹⁰ and a group SO₂, and, if appropriate, 1, 2 or 3 carbonyl groups and/or thiocarbonyl groups as ring members; and/or may contain a ring-fused phenyl ring which is unsubstituted or substituted.